

PARKSIDE

CUNARD

GLAZED PORCELAIN RANGE



3

COLOURS

1

SIZE

1

FINISH

0

SPECIAL PIECES




10%


Cunard features a subtle polished finish to create an enamel effect. The colours in this range give a nautical feel of an ocean liner with blue, pale grey and white.

This range contains 10% recycled content.

IN THIS RANGE



Blue



Grey



White

SIZE GUIDE

70x280mm



PARKSIDE

PRODUCT DATA SHEET

CUNARD



Dimensions	70x280x9mm
Finish	Semi Polished
Body	Porcelain
Wall/Floor	Wall
Group	Bla
Pendulum Dry	-
Pendulum Wet	-

Available Sizes	
70x280x9mm	
Recycled Content	%
Cunard	10%

	Standard	Requirement	Typical Test Value
Length & Width	ISO 10545-2	$\pm 0.6\% \leq 2\text{mm}$	Pass
Thickness	ISO 10545-2	$\pm 5\%$ $\leq \pm 0.5\text{mm}$	Pass
Straightness	ISO 10545-2	$\pm 5\%$ $\leq \pm 1.5\text{mm}$	Pass
Flatness	ISO 10545-2	$\pm 5\%$ $\leq \pm 2.0\text{mm}$	Pass
Rectangularity	ISO 10545-2	$\pm 5\%$ $\leq \pm 2.0\text{mm}$	Pass
Water Absorption	ISO 10545-3	$E_b \leq 0.5\%$	Pass
Breaking strength	ISO 10545-4	$\geq 1300\text{N}$	Pass
Modulus of rupture	ISO 10545-4	35 N/mm ² Average min	Pass
Resistance to surface abrasion	ISO 10545-7	n/a	n/a
Frost Resistance	ISO 10545-12	Complies with Standard	Pass
Thermal Shock Resistance	ISO 10545-9	Complies with Standard	Pass
Resistance to Stain	ISO 10545-14	Min class 3	Pass
Resistance to chemicals	ISO 10545-14	Min Class B	Pass
Reaction to Fire	-	Floor/Wall class A1 FL/A1	Pass

The colour representations shown in this data sheet are as accurate as the limitations of the printing process will allow. Due to the manufacturing process of our floor tiles there may be a small variation in the PTV value. The slip resistance values are correct at the time of testing and represent the standard production value. Inadequate cleaning and maintenance will lead to significant reduction in the slip resistance of any tiles. The pendulum test results have been displayed in line with H&S Executive guidelines whereby 0-24 represents high slip potential, 25-35 moderate slip potential & 36+ represents a low slip potential