

Criaterra

4 COLOURS / 5 SIZES / 1 FINISHES / 0 SPECIAL PIECES

Criaterra is a zero-waste tile made from 100% natural materials with a 90% energy saving over ceramic products. The wall tile challenges the conventions of production and design and is 100% biodegradable, taking a bold step to product circularity. Criaterra is entirely made from natural materials, entirely recyclable and entirely biodegradable: a true zero-waste wall tile. Using up to 70% upcycled content from quarry waste (stone powders), clays and plant fibres, the wall tile uses a low temperature process that reduces greenhouse gases and takes 90% less energy than conventional ceramics.

Under the principle of Circular Earth Technology, Criaterra starts with 100% raw materials, even natural pigments, with up to 70% of these materials post-industrial recycled. The tile is then made with a patented process that replaces conventional high temperature firing for a 90% reduction in energy use and a 92% reduction in greenhouse gas emissions. Thermally efficient (600% that of concrete), Criaterra also provides energy savings in use. At the end of life, it can be recycled or degraded back into the earth as nutrients.






Criaterra



Criaterra



MICA QUAD D



BASALT QUAD D



AMBER QUAD D




RUBY QUAD D




MICA HEX



BASALT HEX



AMBER HEX



RUBY HEX



MICA QUAD F



BASALT QUAD F



AMBER QUAD F



RUBY QUAD F



MICA QUAD G



BASALT QUAD G



AMBER QUAD G



RUBY QUAD G



MICA QUAD H



BASALT QUAD H



AMBER QUAD H




RUBY QUAD H

The colour representations shown in this data sheet are as accurate as the limitations of the printing process will allow. Due to the manufacturing process of our floor tiles there may be a small variation in the PTV value. The slip resistance values are correct at the time of testing and represent the standard production value. Inadequate cleaning and maintenance will lead to significant reduction in the slip resistance of any tiles. The pendulum test results have been displayed in line with H&S Executive guidelines whereby 0-24 represents high slip potential, 25-35 moderate slip potential & 36+ represents a low slip potential.

For further information contact: T: 0116 276 2532 – W: www.parkside.co.uk – E: info@parkside.co.uk

Strata Technical Tiles is the partner brand of Parkside Architectural Tiles

Criaterra



Recycled composite	Wall/floor		Interior/exterior
	Matt	All tiles	All tiles
115x168 Hex A	✓	Wall	Interior
148x448 Quad F	✓	Wall	Interior
223x223 Quad D	✓	Wall	Interior
448x73x148 Quad H	✓	Wall	Interior
448x148x73 Quad G	✓	Wall	Interior

Recycled content	%
Criaterra	50+

The colour representations shown in this data sheet are as accurate as the limitations of the printing process will allow. Due to the manufacturing process of our floor tiles there may be a small variation in the PTV value. The slip resistance values are correct at the time of testing and represent the standard production value. Inadequate cleaning and maintenance will lead to significant reduction in the slip resistance of any tiles. The pendulum test results have been displayed in line with H&S Executive guidelines whereby 0-24 represents high slip potential, 25-35 moderate slip potential & 36+ represents a low slip potential.

For further information contact: T: 0116 276 2532 – W: www.parkside.co.uk – E: info@parkside.co.uk

Strata Technical Tiles is the partner brand of Parkside Architectural Tiles